

AMENDMENTS TO THE CLAIMS

1. (Original) A process for forming an adhesive label having a non-adhesive portion comprising the steps of: providing a web consisting of an adhesive label substrate having a face material, an adhesive layer and a liner, the web having a web width and a web direction, and a plurality of non-adhesive strips positioned between parallel aligned adhesive portions, the strips and portions being oriented in parallel alignment with the web direction; positioning the web in a label conversion machine wherein the web is continuously pulled through the conversion machine in a preselected web direction; configuring a plurality of labels on the web wherein a first portion of each label overlays a non-adhesive strip and a second portion of each label overlays an adhesive portion, each label having a front surface and a back surface; cutting the plurality of labels on the web; printing the front surface of the plurality of labels with indicia used in food safety labeling systems; and processing the plurality of labels into individual rolled strips for use in food safety labeling systems, wherein the back surface of each label has a first non-adhesive portion and a second adhesive portion.
2. (Original) The process of claim 1, wherein the labels are formed in shapes selected from a group of label shapes consisting of a circular label with a protruding tab, a square label with a tab extending from a side portion, a rectangular label with a tab extending from a side portion, a square label, and a rectangular label.
3. (Original) The process of claim 2, wherein the first non-adhesive portion of the circular label with a protruding tab is the back surface of the tab and the second adhesive portion is the remaining back surface of the circular label

4. (Original) The process of claim 2, wherein the first non-adhesive portion of the square or rectangular label with an extending tab is the back surface of the tab and the second adhesive portion is the remaining back surface of the square or rectangular label.
5. (Original) The process of claim 2, wherein the square and rectangular label each have a top edge and a bottom edge.
6. (Original) The process of claim 5, wherein the first non-adhesive portion of the square or rectangular label is a portion of the back surface of each label that is oriented along and parallel to the bottom edge of each label and the second adhesive portion is the remaining back surface of the square or rectangular label.
7. (Original) The process of claim 1, wherein the non-adhesive portion is configured for grasping by a user in order to remove the label from a surface of a container.
8. (Original) The process of claim 1, wherein the configuration for a row of circular labels having a protruding tab is eight labels placed horizontally across the web width and parallel to the web width.
9. (Original) The process of claim 8, wherein the configuration further includes eight non-adhesive strips positioned between eight adhesive portions.
10. (Original) The process of claim 1, wherein the configuration for a row of square or rectangular labels, each having a bottom edge and a tab extending from a side of each label, is four labels placed horizontally across the web width with the bottom edge of each label parallel to the web width.
11. (Original) The process of claim 10, wherein the configuration further includes four non-adhesive strips and four adhesive portions.

12. (Original) The process of claim 1, wherein the configuration for a row of square or rectangular labels each having a bottom edge is at least three labels placed horizontally across the web width with the bottom edge of each label perpendicular to the web width.
13. (Original) The process of claim 12, wherein the configuration further includes three non-adhesive strips and three adhesive portions.
14. (Original) The process of claim 1, wherein the web width is generally between 6.5 to 10 inches.
15. (Original) The process of claim 1, wherein the face material is selected from a group consisting of paper, polyester, vinyl, polypropylene and foil.
16. (Original) The process of claim 1, wherein the adhesive layer is formed from an adhesive selected from a group consisting of permanent, removable, water-soluble, and cold temperature adhesives.
17. (Original) The process of claim 1, wherein the liner is a silicone-coated sheet of paper adapted to allow the face material and adhesive layer to be easily removed.
18. (Original) The process of claim 1, further including the step of removing a matrix of waste material between the plurality of labels after cutting the plurality of labels on the web.
19. (Original) The process of claim 1, wherein the indicia used in food safety labeling systems includes text selected from a group consisting of text found in day of the week FIFO food safety labeling systems, text relating to shelf-life/product identification food safety labeling systems and text relating to use by/use first food safety labeling systems.

20. (Original) The process of claim 1, wherein the indicia used in food safety labeling systems includes color related to an industry standard color code system used in food safety labeling systems.
21. (Original) The process of claim 20, wherein the color used includes an industry standard color code system selected from a group of colors consisting of blue for Monday, yellow for Tuesday, red for Wednesday, brown for Thursday, green for Friday, orange for Saturday, and black for Sunday.
22. (Canceled) An adhesive label having a non-adhesive portion produced by a process comprising the steps of: providing a web consisting of an adhesive label substrate having a face material, an adhesive layer and a liner, the web having a web width and a web direction, and a plurality of non-adhesive strips positioned between parallel aligned adhesive portions, the strips and portions being oriented in parallel alignment with the web direction; positioning the web in a label conversion machine wherein the web is continuously pulled through the conversion machine in a preselected web direction; configuring a plurality of labels on the web wherein a first portion of each label overlays a non-adhesive strip and a second portion of each label overlays an adhesive portion, each label having a front surface and a back surface; cutting the plurality of labels on the web; printing the front surface of the plurality of labels with indicia used in food safety labeling systems; and processing the plurality of labels into individual rolled strips for use in food safety labeling systems, wherein the back surface of each label has a first non-adhesive portion and a second adhesive portion.
23. (Canceled) The adhesive label of claim 22, wherein the labels are formed in shapes selected from a group of label shapes consisting of a circular label with a protruding tab, a square label with a tab extending from a side portion, a rectangular label with a tab

extending from a side portion, a square label, and a rectangular label.

24. (Canceled) The adhesive label of claim 23, wherein the first non-adhesive portion of the circular label with a protruding tab is the back surface of the tab and the second adhesive portion is the remaining back surface of the circular label
25. (Canceled) The adhesive label of claim 23, wherein the first non-adhesive portion of the square or rectangular label with an extending tab is the back surface of the tab and the second adhesive portion is the remaining back surface of the square or rectangular label.
26. (Canceled) The adhesive label of claim 23, wherein the square and rectangular label each have a top edge and a bottom edge.
27. (Canceled) The adhesive label of claim 26, wherein the first non-adhesive portion of the square or rectangular label is a portion of the back surface of each label that is oriented along and parallel to the bottom edge of each label and the second adhesive portion is the remaining back surface of the square or rectangular label.
28. (Canceled) The adhesive label of claim 22, wherein the non-adhesive portion is configured for grasping by a user in order to remove the label from a surface of a container.
29. (Original) The adhesive label of claim 22, wherein the configuration for a row of circular labels having a protruding tab is eight labels placed horizontally across the web width and parallel to the web width.
30. (Original) The adhesive label of claim 22, wherein the configuration for a row of square or rectangular labels, each having a bottom edge and a tab extending from a side of each

label, is four labels placed horizontally across the web width with the bottom edge of each label parallel to the web width.

31. (Original) The adhesive label of claim 22, wherein the configuration for a row of square or rectangular labels each having a bottom edge is at least three labels placed horizontally across the web width with the bottom edge of each label perpendicular to the web width.
32. (Original) The adhesive label of claim 22, wherein the face material is selected from a group consisting of paper, polyester, vinyl, polypropylene and foil.
33. (Original) The adhesive label of claim 22, wherein the adhesive layer is formed from an adhesive selected from a group consisting of permanent, removable, water-soluble, and cold temperature adhesives.
34. (Original) The adhesive label of claim 22, wherein the liner is a silicone-coated sheet of paper adapted to allow the face material and adhesive layer to be easily removed.
35. (Original) The adhesive label of claim 22, further including the step of removing a matrix of waste material between the plurality of labels after cutting the plurality of labels on the web.
36. (Original) The adhesive label of claim 22, wherein the indicia used in food safety labeling systems includes text selected from a group consisting of text found in day of the week FIFO food safety labeling systems, text relating to shelf-life/product identification food safety labeling systems and text relating to use by/use first food safety labeling systems.
37. (Original) The adhesive label of claim 22, wherein the indicia used in food safety labeling systems includes color related to an

industry standard color code system used in food safety labeling systems.

38. (Original) The adhesive label of claim 37, wherein the color used includes an industry standard color code system selected from a group of colors consisting of blue for Monday, yellow for Tuesday, red for Wednesday, brown for Thursday, green for Friday, orange for Saturday, and black for Sunday.
39. (Original) A process for forming an adhesive label having a non-adhesive portion comprising the steps of: providing a web consisting of an adhesive label substrate having a face material, an adhesive layer and a liner, the web having a web width and a web direction, and a plurality of non-adhesive strips positioned between parallel aligned adhesive portions, the strips and portions being oriented in parallel alignment with the web direction; positioning the web in a label conversion machine wherein the web is continuously pulled through the conversion machine in a preselected web direction; configuring a plurality of labels on the web wherein a first portion of each label overlays a non-adhesive strip and a second portion of each label overlays an adhesive portion, each label having a front surface and a back surface; cutting the plurality of labels on the web; printing the front surface of the plurality of labels with text selected from a group consisting of text found in day of the week FIFO food safety labeling systems, text relating to shelf-life/product identification food safety labeling systems and text relating to use by/use first food safety labeling systems used in food safety labeling systems and an industry standard color code system selected from a group of colors consisting of blue for Monday, yellow for Tuesday, red for Wednesday, brown for Thursday, green for Friday, orange for Saturday, and black for Sunday; and processing the plurality of labels into individual rolled strips for use in food safety labeling

Application No.: Not Yet Assigned

Docket No.: HO-P02167US2

systems, wherein the back surface of each label has a first non-adhesive portion and a second adhesive portion.